



FOSSA PAINTS



ABOUT US



Shaji Paints began humble in 1992 under the charismatic leadership of Mr. Shajahan, the company's founding father.

In 2012, aiming to provide a helping hand to his father's growing business, Dr. Shine Shajahan decided to do the impossible by giving up his career as a professional medical doctor and joining the company.

His young, visionary, and charismatic brother, Sha bin Shajahan, immediately followed up on Dr. Shine, adding further empowerment to the business.

The company later on, under their patience, dynamic, and visionary leadership, transformed from a mediocre middle-sized retail AutoRefinish paint outlet in Sharjah to a Multi-National Company (MNC) comprising more than 200 employees, including a state-of-the-art modern paint factory in Umm Al Quwain.

The factory can produce 800,000 Ltr paints per month, catering to a wide range of Wood Coatings. Equipped with a state-of-the-art R&D laboratory containing almost all the latest sophisticated testing equipment to ensure and maintain the highest quality specifications based on ASTM, BS, and ISO standards.

Unlike any other paint factory in the UAE, Shaji Paints has the unique distinction of owning nine local distribution centers in the UAE and an extra dedicated distribution arm in Oman.



FACTORY & LABORATORY



Shaji Paints is one of the largest paint manufacturers in the UAE. The manufacturing plant in UAQ is spread across 50,000 sqft. Area, equipped with ultra-modern production machines.

The company can produce 800,000 Ltr—paints per month. We manufacture a wide range of Industrial Coating, Wood Coating, Auto Refinish Architectural Coating, and Thinners. As a responsible organization, we are committed to introducing environmentally friendly products and maintaining a healthy environment.

We have a massive storage facility in Sajaa, Sharjah, coupled with our own nine subsidiary distribution centers across UAE and Oman, which provide excellent central logistics support to both the northern and southern emirates of UAE and overseas in Oman.

The factory is equipped with a state-of-the-art R&D Laboratory containing almost all the latest sophisticated testing equipment to ensure and maintain high-quality product specifications based on ASTM, BS, and ISO standards. We have a highly qualified and experienced technical team in the R&D laboratory for new product development and product upgradation per market requirements.



INDEX

Fossa Decorative Coatings	1	Fossa Wood Coatings	13
Fossa Interior Emulsions	2	Fossa Exterior Wood Coatings	14
Plastic Emulsion	2	Acrylic Sealer	14
Smooth Matt Emulsion	2	Acrylic Clear	14
Luxury Egg Shell Emulsion Matt	2	Acrylic Pigmented Paint	14
Luxury Egg Shell Emulsion Silk	2	Acrylic Pigmented Primer	14
Fossa Exterior Emulsions	3	Acrylic Multicoat Clear	15
Acrylic Weather Resistant Matt Emulsion	3	Fossa Interior Wood Coatings	16
Acrylic Weather Resistant Silk Emulsion	3	PU Sanding Sealer	16
Primers	4	PU Clear	16
PVA Primer	4	PU Pigmented Primer	16
Acrylic Primer	4	PU Pigmented Paint	16
Fossa Industrial Coatings	7	NC Sanding Sealer	17
Fossa Industrial Coatings	8	NC Clear	17
Enamels Synthetic Enamel	8	NC Primer	17
Quick Dry Enamel	8	NC Pigmented Paint	17
Red Oxide Anti Corrosive Primer	8	Thinners	18
Fossa High Performance Coatings	9	PU Thinner	18
Poxy-guard Epoxy Topcoat	9	Acrylic Thinner	18
Poxy-guard Epoxy Mastic Mid / Top Coat	9	NC Standard Thinner	18
Poxy-guard Epoxy Under Coat/Mid-Coat HB	9	Universal Lacquer Thinner	18
Poxy-guard Epoxy MIO Under Coat/Mid-Coat HB	9	Fossa Wood Stains	19
Poxy-guard Epoxy Zinc Phosphate Primer	10	Exterior Wood Stains	19
Poxy-guard Epoxy Zinc Rich Primer	10	Interior Wood Stains	19
Poxy-guard Epoxy Universal Primer	10	Fossa Automotive Refinish	21
Thane-guard PU Topcoat	10	Thinners	22
Fossa Industrial Thinners	11	2K Fast Thinner	22
Lacquer Thinner	11	2K Standard Thinner	22
Quick Dry Thinner	11	2K Slow Thinner	22
Poxy-guard Epoxy Thinner	11	Fossa Hardener	23
Thane-guard PU Thinner	11	Fast Hardener	23
		Standard Hardener	23
		Slow Hardener	23
		Primers, Basecoats & Topcoats	24
		2K Primer	24
		Plastic Primer	24
		1K Basecoat	24
		2K Topcoat	24
		2k Clear coats	25
		HS Clear Coat	25
		Certifications	26
		Corporate office & Distribution Centers	27





FOSSA DECORATIVE COATINGS

Fossa's Decorative collection blends beauty with durability, offering innovative solutions that transform interiors and exteriors. From luxurious finishes to vibrant colors, our decorative coatings are crafted to meet the highest standards of quality and style. Each product is formulated to withstand the unique environmental conditions of the Middle East and Africa, ensuring lasting beauty and protection.



1 Litre



3.6 Litre



18 Litre

INTERIOR EMULSIONS

FOSSA DECORATIVE COATINGS



3.6, 18 Litre

Fossa Plastic Emulsion

Interior quality co-polymer-based emulsion paint of medium viscosity, given its excellent coverage and opacity. It can be applied over substrates like plaster, concrete, bricks, masonry, asbestos, cement panels, etc.

Features	Finishes Available
Ease of application	Smooth Finish
Good drying properties	Matt Finish
Excellent resistance to dirt pickup	
Non-toxic and environment friendly	



3.6, 18 Litre

Fossa Smooth Matt Emulsion

Acrylic co-polymer-based interior emulsion paint that is moderately washable with good recoatability properties. Has good hiding power combined with exceptional durability.

Features	Finishes Available
Excellent adhesion	Smooth
Recoatability	Matt
Better hiding power	
Exceptional light and weather resistance	



3.6, 18 Litre

Fossa Luxury Egg Shell Emulsion Matt

Premium, superior-quality acrylic copolymer-based, highly washable emulsion paint for interior surfaces. It has excellent alkali and scrub resistance. Additionally, it has inherent anti-chalking properties.

Features	Finishes Available
100% washability	Smooth
Excellent alkali-resistant and weather-resistance	Matt
Anti chalking properties	
Excellent UV resistance	
Contains anti-fungal and anti-bacterial additives	



3.6, 18 Litre

Fossa Luxury Egg Shell Emulsion Silk

Premium superior quality acrylic emulsion paint having superior grade pigment possessing excellent leveling, hiding, and washability properties. Additionally, it has a crack-bridging ability, enhancing the life of the coating.

Features	Finishes Available
100% washability	Smooth
Excellent alkali-resistant and weather-resistance	Silk
Anti chalking properties	
Excellent UV resistance	
Contains anti-fungal and anti-bacterial additives	



3.6, 18 Litre

Fossa Acrylic Weather Resistant Matt Emulsion

Premium 100% pure acrylic emulsion-based paint designed for superior performance, providing excellent resistance to alkali, ultraviolet radiation, and harsh weather. It is specifically designed to withstand the high humidity and extremities in the Gulf and African environment. Possessing excellent adhesion properties, it prevents chalking of exterior surfaces for long periods of time and resists fungal and mold attacks.

Features

- Anti-microbial
- High UV Resistance
- High washability
- Dust resistance



3.6, 18 Litre

Fossa Acrylic Weather Resistant Silk Emulsion

Premium 100% pure acrylic emulsion-based paint designed for superior performance, providing excellent resistance to alkali, ultraviolet radiation, and harsh weather. It is specifically designed to withstand the high humidity and extremities in the Gulf and African environment. Possessing excellent adhesion properties, it prevents chalking of exterior surfaces for long periods of time and resists fungal and mold attacks.

Features

- Anti-microbial & Anti-Fungal
- Luxury silk and smooth finish
- High UV Resistance & High washability
- Dust resistance & Crack bridging ability



3.6, 18 Litre

Fossa PVA Primer

Acrylic Co-polymer-based Penetrating Primer. Suitable for masonry surfaces, specially formulated as a primer for texture spray systems. It contains anti-fungal and antibacterial additives.

Features

- Excellent adhesion
- Moderate opacity
- Sealing property
- Good alkaline resistance



3.6, 18 Litre

Fossa Acrylic Primer


Specially formulated acrylic water-based primer for masonry surfaces that was used before applying Texture coatings. It has excellent adhesion and alkali resistance. It has good penetration and sealing properties. It contains anti-fungal and antibacterial additives.

Features

- Excellent alkali resistance
- Excellent adhesion to the surface
- Good penetration
- Excellent base coat for subsequent coats




FOSSA



FOSSA INDUSTRIAL COATINGS

We are delighted to present our extensive range of value-for-money and high-performance industrial coatings tailored to the unique needs of the UAE market. As a pioneer in the UAE market, we are committed to providing innovative solutions that ensure durability, efficiency, and exceptional quality for a wide variety of applications. Our comprehensive selection includes protective coatings, anti-corrosive solutions, and more. Designed to withstand the harsh environmental conditions of the Middle East and Africa, our products guarantee superior protection and longevity for your industrial assets.



1 Litre

3.6 Litre

Thinner

18 Litre

INDUSTRIAL COATINGS

FOSSA INDUSTRIAL COATINGS



0.9, 3.6, 18 Litre

Fossa Enamels | Fossa Synthetic Enamel

Ideal for architectural purposes and is used for both interior and exterior applications. It is a one-component product based on synthetic alkyd resin, which gives a flexible and good finish with excellent adhesion and is resistant to cracks and abrasions.

Features	Finishes Available
Resistant to chemicals	High Gloss
Good flow and leveling	Semi-Gloss
Available in a wide range of colors	Matt
Durability	



3.6, 18, 20 Litre

Fossa Quick Dry Enamel

One-component, quick-drying, solvent-based, glossy alkyd enamel. It is formulated with a modified alkyd that provides quick drying and an attractive and durable finish.

Features	Finishes Available
Quick dry	Gloss
Excellent anti-corrosive properties	
Durability	
Available in a wide range of colors	
Excellent flexibility, toughness, abrasion resistance, and scratch resistance	



3.6, 18, 20 Litre

Fossa Red Oxide Anti Corrosive Primer

Synthetic alkyd resin-based rust preventive air drying primer containing anti-corrosive pigment. It is an economic primer that gives good coverage and is used for general-purpose applications. It is used to protect steel surfaces against moderate corrosive environments.

Features
Quick dry
Excellent anti-corrosive properties
Durability
Available in a wide range of colors
Excellent flexibility, toughness, abrasion resistance, and scratch resistance



3.6, 18, 20 Litre

Fossa Poxy-guard Epoxy Topcoat

Two-pack high-performance polyamide-cured epoxy topcoat provides excellent resistance to mild acid, alkalis, oil, and chemicals. It has excellent corrosion resistance and impact and abrasion resistance properties.

Features

As a finish coat over concrete, metal, or wooden substrates that are suitably primed

As a chemical and moisture resistant topcoat for buildings, factories with high humidity and salinity such as dairies, textile industries, particularly used in floor skirtings, industrial barrels, trash bins, farm equipment's and machines components, etc

Possess excellent adhesion on blast-cleaned steel



3.6, 18, 20 Litre

Fossa Poxy-guard Epoxy Mastic Mid / Top Coat

Two-pack epoxy polyamide coating designed explicitly as a self-priming; it is used for surface tolerant paint systems or as a primer / intermediate / top coat in heavy-duty paint systems where low VOC and High film build are required.

Features

High build coating

Chemically resistant finish for structural steel, process equipment, pipework, etc.

can be used as a primer or a topcoat



3.6, 18, 20 Litre

Fossa Poxy-guard Epoxy Under Coat/Mid-Coat HB

Two-pack high-performance epoxy Under Coat HB containing zinc phosphate anti-corrosive pigment.

Features

Single coat high build application

Anti-corrosive Mid-coat with excellent abrasion resistance



3.6, 18, 20 Litre

Fossa Poxy-guard Epoxy MIO Under Coat/Mid-Coat HB

Two-pack high-performance epoxy MIO Under Coat HB containing micaceous iron oxide anti-corrosive pigment.

Features

Single coat high build application

Anti-corrosive Mid-coat with excellent abrasion resistance.

Resistance to water, mineral oils, chemicals

HIGH PERFORMANCE COATINGS

FOSSA INDUSTRIAL COATINGS



3.6, 18, 20 Litre

Fossa Poxy-guard Epoxy Zinc Phosphate Primer

Two-pack high-performance epoxy primer containing zinc phosphate anti-corrosive pigment.

Features

- Single coat high build application
- Anti-corrosive primer with excellent abrasion resistance



3.6, 18, 20 Litre

Fossa Poxy-guard Epoxy Zinc Rich Primer

Two-pack high-performance epoxy primer containing zinc powder and anti-corrosive pigment.

Features

- Provides cathodic protection on local mechanical damage
- Good adhesion to metal surfaces and excellent mechanical properties



3.6, 18, 20 Litre

Fossa Poxy-guard Epoxy Universal Primer

Two-pack epoxy universal primer containing zinc phosphate anti-corrosive pigment.

Features

- Excellent adhesion properties on Aluminium, GI, and Steel surface
- Anti-corrosive primer with excellent abrasion resistance
- Multipurpose



3.6, 18, 20 Litre

Fossa Thane-guard PU Topcoat

Two-pack high-performance chemically curing aliphatic acrylic polyurethane gloss finish for use where long-term gloss and color retention are required.

Features

- It can be applied as a topcoat over epoxy, polyester, polyurethane, or similar two-pack primers
- long-term recoatable properties
- Excellent gloss and color retention
- Resistance to a large number of mild chemicals and water



3.6, 18, 200 Litre

Fosaa Lacquer Thinner

Thinner suitable to dilute various types of NC and synthetic enamel-based sealers, primers, and clear and pigmented topcoats. It is fast drying thinner to speed up the drying process.



3.6, 18, 200 Litre

Fosaa Quick Dry Thinner

Thinner suitable for diluting various types of Q.D. primers and Q.D. Enamel. It is fast drying thinner to speed up the drying process.



3.6, 18, 200 Litre

Fosaa Poxy-guard Epoxy Thinner


Mixture of adequately selected organic solvents intended for thinning epoxy products. It can be used to clean paint spray guns and tools effectively from the residues of epoxy products.



3.6, 18, 200 Litre

Fosaa Thane-guard PU Thinner

Thinner suitable for diluting various types of Polyurethane-based primers and topcoats. It dries/evaporates fast to give better drying.



FOSSA WOOD COATINGS

Our comprehensive, high-performance wood coatings are designed to provide exceptional performance and aesthetic appeal for interior and exterior applications. This collection caters to the needs of craftsmen, furniture manufacturers, and architects, offering a variety of water-based and solvent-based. Products including wood stains, sealers, fillers, primers, and finish coats



1 Litre

3.6 Litre

Thinner

18 Litre

EXTERIOR WOOD COATINGS

FOSSA WOOD COATINGS



3.6, 18 Litre

Fossa Acrylic Sealer

Exterior quality long-life polyurethane sanding sealer based on acrylic resin & aliphatic isocyanate hardener. The product is designed for use on wooden surfaces. The product has beautiful surface filling & is highly resistant to aggressive exterior, physical & chemical environments.

Features

- Easy to maintain
- Very long life without chalking and yellowing
- Physical & Chemical resistance in conformity with German and American standards
- Very good standability
- Resistant to termites & other micro-organisms



3.6, 18 Litre

Fossa Acrylic Clear

Exterior quality long-life polyurethane lacquer based on an acrylic base & aliphatic isocyanate hardener. The product with beautiful surface quality is highly resistant to aggressive physical & chemical environment stresses.

Features

- Very long life & Long years durability
- UV resistant & Weather resistant
- Available in various sheen level
- Flexible to withstand wood's dimensional variation
- Suitable over any type of wood surface with equal efficiency

Finishes Available

- Acrylic Dead Matt G/05 Clear
- Acrylic Matt G/10 Clear
- Acrylic Silk Matt G/30 Clear
- Acrylic Semi-Gloss G/50 Clear
- Acrylic Gloss G/90 Clear



3.6, 18 Litre

Fossa Acrylic Pigmented Paint

Exterior quality long-life polyurethane paint based on an acrylic base & aliphatic isocyanate hardener. The product with beautiful surface quality is highly resistant to aggressive physical & chemical environment stresses.

Features

- Very long life & Long years durability
- UV resistant & Weather resistant
- Available in various sheen level
- Flexible to withstand wood's dimensional variation
- Suitable over any type of wood surfaces with equal efficiency

Finishes Available

- Acrylic Pigmented Dead Matt G/05
- Acrylic Pigmented Matt G/10
- Acrylic Pigmented Silk Matt G/30
- Acrylic Pigmented Semi-Gloss G/50
- Acrylic Pigmented Gloss G/90



3.6, 18 Litre

Fossa Acrylic Pigmented Primer

Exterior quality long-life polyurethane pigmented primer based on acrylic resin & aliphatic isocyanate hardener. The product is designed for use on wooden surfaces. The product has beautiful surface filling & is highly resistant to aggressive exterior, physical & chemical environments.

Features

- Provides strong adhesion for topcoat
- Very long life without chalking and yellowing
- Physical & Chemical resistance in conformity with German and American standards
- Very good standability
- Resistant to termites & other micro-organisms



3.6, 18 Litre

Fossa Acrylic Multicoat Clear

Premium self-sealing clear based on acrylic resins and special additives. It provides a smooth finish with good flexibility, light fastness, and excellent resistance to mechanical and chemical stress. It is a fast-drying lacquer with extreme surface hardness and good scratch resistance.

Features	Finishes Available
Fast drying & levels good waterproofing properties	Acrylic Multicoat Matt G/10
Excellent flow and wetting properties	Acrylic Multicoat Silk Matt G/30
Excellent clarity in gloss and matt after drying	Acrylic Multicoat Semi-Gloss G/50
Excellent durability against chemical and mechanical stresses	Acrylic Multicoat Gloss G/90
Good solvent and moisture resistance	
Excellent stain resistance Non-yellowing and non-fading	
Medium build properties for excellent open grain appearance Available in various sheen	

INTERIOR WOOD COATINGS

FOSSA WOOD COATINGS



3.6, 18 Litre

Fossa PU Sanding Sealer

Two-pack polyurethane Clear Sealer. It provides a smooth, easily sandable, durable finish with best-in-class wood grain filling properties. The product has beautiful surface filling & is highly resistant to aggressive exterior, physical & chemical environments.

Features

- Easy to maintain
- Very long life without chalking and yellowing
- Physical & Chemical resistance in conformity with German and American standards
- Very good standability & Very fast overcoating is possible
- Resistant to termites & other micro-organisms



3.6, 18 Litre

Fossa PU Clear

Two-pack polyurethane Clear finish with excellent quality and long life. The product with beautiful surface quality is highly resistant to aggressive physical & chemical environment stresses.

Features

- Very long life & Rapid drying
- UV resistant & Weather resistant
- Available in various sheen level
- Flexible to withstand wood's dimensional variation
- Suitable over any type of wood surface with equal efficiency

Finishes Available

- PU Dead Matt G/05 Clear
- PU Matt G/10 Clear
- PU Silk Matt G/30 Clear
- PU Semi-Gloss G/50 Clear
- PU Gloss G/90 Clear



3.6, 18 Litre

Fossa PU Pigmented Primer

Two-pack polyurethane pigmented primer. It provides a smooth, easily sandable, durable finish with best-in-class opacity and whiteness.

Features

- Provides strong adhesion for topcoat
- Very long life without chalking and yellowing
- Physical & Chemical resistance in conformity with German and American standards
- Very good standability
- Resistant to termites & other micro-organisms



3.6, 18 Litre

Fossa PU Pigmented Paint

Exterior quality long-life polyurethane paint based on an acrylic base & aliphatic isocyanate hardener. The product with beautiful surface quality is highly resistant to aggressive physical & chemical environment stresses.

Features

- Very long life & Long years durability
- Very smooth finish & Abrasion resistant
- Available in various sheen level
- Resistant to both extreme weather & UV resistant
- Flexible to withstand wood's dimensional variation

Finishes Available

- PU Pigmented Dead Matt G/05
- PU Pigmented Matt G/10
- PU Pigmented Silk Matt G/30
- PU Pigmented Semi-Gloss G/50
- PU Pigmented Gloss G/90



3.6, 18 Litre

Fossa NC Sanding Sealer

Transparent sanding sealer of high quality based on nitrocellulose, modified alkyds, and plasticizers. It is used for filling and leveling wood surfaces where transparency is required. It has a perfect body and is resistant to over-spraying and wetting the structure of the wood well.

Features

- Excellent durability
- Good grain-filling properties
- Good adhesion to wooden surfaces
- Very good standability
- Physical & Chemical resistance in conformity with German and American standards



3.6, 18 Litre

Fossa NC Clear

Top coat clear based on nitrocellulose and modified alkyd resin. Suitable to woods undercoated with nitro, polyurethane, or polyester primer. The final coat is resistant to water, hardtop, and sufficiently rub-resistant.

Features

- Excellent durability
- Good grain-filling properties
- Good adhesion to wooden surfaces
- Physical & Chemical resistance

Finishes Available

- NC Dead Matt G/05 Clear
- NC Matt G/10 Clear
- NC Silk Matt G/30 Clear
- NC Semi-Gloss G/50 Clear
- NC Gloss G/90 Clear



3.6, 18 Litre

Fossa NC Primer

Pigmented nitrocellulose blended with modified alkyd resins and selected fillers. It is formulated to give a high covering property, good sanding ability, and excellent elasticity.

Features

- Provides strong adhesion for topcoat
- High covering
- Excellent sanding ability
- Excellent elasticity



3.6, 18 Litre

Fossa NC Pigmented Paint

Pigmented topcoat based on nitrocellulose and modified alkyd resin. Suitable to woods undercoated with nitrocellulose, polyurethane, or polyester primer. The final coat is resistant to water, hardtop, and sufficiently rub-resistant.

Features

- Provides strong adhesion for topcoat
- High covering
- Excellent sanding ability
- Excellent elasticity

Finishes Available

- NC Pigmented Dead Matt G/05
- NC Pigmented Matt G/10
- NC Pigmented Silk Matt G/30
- NC Pigmented Semi-Gloss G/50
- NC Pigmented Gloss G/90

THINNERS

FOSSA WOOD COATINGS



0.9, 3.6, 18, 200 Litre

Fossa PU Thinner

Thinner suitable for diluting various types of polyurethane-based sealers, primers, and clear and pigmented topcoats. It is fast drying thinner to speed up the drying process. PU thinners include different types of thinners based on the drying time depend on the air temperature and seasonal air changes in the applied environment.

Product Range

Fossa PU Standard Thinner

Fossa PU Medium Slow Thinner

Fossa PU Slow Thinner

Fossa PU Retardant Thinner

The appropriate thinner type should be selected from standard, medium slow, and slow thinner based on the air temperature and seasonal air changes in the applied environment.

It is a slow drying process; it evaporates much more slowly than even a slow thinner, significantly extending the drying time. It is suitable for polyurethane, nitrocellulose, and acid curing, as well as for solvent-based stain series. The blend of solvents used in its formulations enables perfect dilution and film formation even with hot weather.



0.9, 3.6, 18, 200 Litre

Fossa Acrylic Thinner

Acrylic thinners are solvents specifically formulated for use with acrylic-based paints and coatings. They serve multiple purposes, such as thinning the paint for application, cleaning brushes and equipment, and sometimes adjusting the drying time of the paint. Acrylic thinners include different types of thinners based on the drying time, which depends on the air temperature and seasonal air changes in the applied environment.

Product Range

Fossa Acrylic Standard Thinner

Fossa Acrylic Medium Slow Thinner

Fossa Acrylic Slow Thinner

Fossa Acrylic Retardant Thinner



0.9, 3.6, 18, 200 Litre

Fossa NC Standard Thinner

Thinner suitable for diluting various types of NC-based sealers, primers, and clear and pigmented topcoats. It is fast drying thinner to speed up the drying process.



0.9, 3.6, 18, 200 Litre

Fossa Universal Lacquer Thinner

Versatile solvent blend designed to thin various types of lacquer-based paints and finishes. The key characteristic of a universal lacquer thinner is its compatibility with a wide range of lacquer formulations, making it a valuable and flexible product in various applications.



Fossa Exterior Wood Stains

Range of concentrated dyestuff and stains dispersed in suitable solvents (turpentine) to emphasize their coloristic effect. Exterior stains come in many different colors to choose from, and they are transparent and display the details of the wood. Exterior wood stains are used almost exclusively on all types of wood, plywood, and solid wood, and they are designed to be used for outdoor furniture.

Features

- Wide range of vibrant colors to enhance wood's natural beauty
- Transparent finish highlights wood grain and details
- Suitable for all types of wood, plywood, and solid woods for outdoor use



Fossa Interior Wood Stains

Blend of concentrated dyestuff and universal stainers dispersed in suitable binders and solvents to emphasize their coloristic effect. Wood stains are ready-to-use materials and come in many different colors to choose from; they are fully transparent and display the details of the wood.

Features

- Blend of concentrated dyestuff and universal stainers for vibrant colors
- Fully transparent finish to showcase wood details
- Ready-to-use materials with a wide range of color options

Refer to Fossa's stain card for color inspiration



FOSSA AUTOMOTIVE REFINISH

Our automotive refinish coatings are meticulously engineered to provide superior performance and stunning aesthetics for all types of vehicles. Designed for professional body shops and auto manufacturers, our product range includes advanced primers, basecoats, clearcoats, and specialized finishes. Fossa's automotive refinish solutions ensure optimal adhesion, excellent color matching, and lasting durability. Our products are formulated to withstand the rigors of diverse climates and driving conditions, offering exceptional resistance to UV rays, chemicals, and environmental contaminants. Trust Fossa Automotive Refinish to deliver a flawless, high-gloss finish that restores and enhances the beauty of every vehicle



0.5 Litre

1 Litre

3.6 Litre

Thinner

THINNERS

AUTOMOTIVE REFINISH



Fossa 2K Fast Thinner

It has very fast evaporation speed, suitable for spot repair or application below 15°C.

0.5, 1, 3.6 Litre



Fossa 2K Standard Thinner

Standard thinner for 1K basecoat and 2K products, with medium evaporation speed, suitable for spot repair or application at 15–25°C.

0.5, 1, 3.6 Litre



Fossa 2K Slow Thinner

For 1K basecoat and 2K products, with slow evaporation speed, suitable for spot repair or overall refinishing or application at 25–30°C.

0.5, 1, 3.6 Litre



0.5, 1, 3.6 Litre

Fossa Fast Hardener

Range of concentrated dyestuff and stains dispersed in suitable solvents (turpentine) to emphasize their coloristic effect. Exterior stains come in many different colors to choose from, and they are transparent and display the details of the wood. Exterior wood stains are used almost exclusively on all types of wood, plywood, and solid wood, and they are designed to be used for outdoor furniture.

Features

- Fast-drying for quick spot repairs
- Suitable for low-temperature applications
- Ensures smooth and efficient workflow



0.5, 1, 3.6 Litre

Fossa Standard Hardener

Blend of concentrated dyestuff and universal stainers dispersed in suitable binders and solvents to emphasize their coloristic effect. Wood stains are ready-to-use materials and come in many different colors to choose from; they are fully transparent and display the details of the wood.

Features

- Versatile for a wide range of applications
- Balanced drying time for optimal performance
- Consistent results under various conditions



0.5, 1, 3.6 Litre

Fossa Slow Hardener

Blend of concentrated dyestuff and universal stainers dispersed in suitable binders and solvents to emphasize their coloristic effect. Wood stains are ready-to-use materials and come in many different colors to choose from; they are fully transparent and display the details of the wood.

Features

- Ideal for larger surface areas and extended working times
- Provides excellent leveling and finish
- Reduces the risk of defects in high-temperature conditions

PRIMERS, BASECOATS & TOPCOATS

AUTOMOTIVE REFINISH



0.5, 1, 3.6 Litre

Fossa 2K Primer

Engineered for flawless paint application, superior surface preparation, and a perfect foundation for automotive refinishing projects. It creates a smooth and uniform base for your paintwork.

Features

- Excellent coverage and durability
- Promotes optimal paint adhesion for long-lasting results
- Exceptional filling properties



0.5, 1, 3.6 Litre

Fossa Plastic Primer

Enhances the adhesion and durability of your paintwork on plastic surfaces. Specifically formulated to bond seamlessly with various plastic substrates, our primer creates a strong foundation for lasting paint finishes.

Features

- Promoted excellent adhesion
- Resistance to cracking
- High durability
- Exceptional filling properties



0.5, 1, 3.6 Litre

Fossa 1K Basecoat

Experience exceptional color accuracy and coverage with FOSSA Basecoat, the perfect foundation for your automotive paint job.

Features

- Professional grade color matching
- Delivers vibrant, true-to-color results,
- Ensures a flawless finish
- Easy wet-on-wet application
- Outstanding color performance
- Excellent coverage



0.5, 1, 3.6 Litre

Fossa 2K Topcoat

High-solid top coat system for solid colors. It offers excellent hiding and color accuracy.

Features

- Unmatched durability
- Excellent weather resistance,
- Long-lasting shine and UV protection
- Provides a high glossy finish
- Fast drying



0.5, 1, 3.6 Litre

Fossa HS Clear Coat

high solid clear coat designed to achieve a brilliant, glossy finish that provides unparalleled protection and enhancement to your automotive paintwork.

Features

- superior UV resistance
- High durability
- Ensures showroom shine for years to come
- High Solid
- High Glossy finish

CERTIFICATIONS



Quality Management
ISO 9001:2015



Environmental Management
ISO 14001:2015



**The Member of Paint
Research Association, U.K.**



CORPORATE OFFICE & DISTRIBUTION CENTERS

Corporate Office

Al Quoz Ind. Area #4

04 3299 878 | 04 338 10 65
hello@shajipaints.com

Factory

Shaji Paints Manufacturing L.L.C

Umm Al Thoob Industrial Area 1,
Al Razaah, Umm Al Quwain

Dubai Investment Park

Dubai Centerpoint, DIP #1
04 885 01 55
Mob: 056 5059521
infodip@shajipaints.com

Aweer,Dubai

Ras AlKhor Ind Area1
04 333 49 16
Mob: 055 3260827
infoaweer@shajipaints.com

AlQusais

Industrial Area3
04 261 28 66
Mob: 052 4022383
infoqusais@shajipaints.com

Abu Dhabi

M 45
02 558 54 54
Mob: 055 9651454
infoabd@shajipaints.com

Al Ain

Sanaya Street 7
03 780 39 32
Mob: 056 216 4970
infoalain@shajipaints.com

Ras Al Khaimah

Rams Road
07 221 18 24
Mob: 056 5059521
inforak@shajipaints.com

Sharjah

Industrial Area 4
06 532 27 29
Mob: 055 914 7676
info@shajipaints.com

Sajaa

Industrial Area behind
Emirates Steel
infosajaa@shajipaints.com

Oman

Mabella, Muscat
Block377, Mabella
00968 9565 6605
infodip@shajipaints.com



FOSSA

Fossa Paints

A Brand of Shaji Paints Manufacturing L.L.C

📍 Umm Al Thoob Industrial Area 1,
Al Rfaah, Umm Al Quwain

☎ +971 50 397 3545

✉ sales@fossapaints.com

🌐 fossapaints.com